

# Work Order ID 85651

June-13-12 7:34:47 AM

**\*85651\***

Ship tomorrow Page 1

Item ID: D4632-2 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: PRELIM Stop **\*NS2\***  
 Item Name: Striker Plate  
 Start Date: 6/13/12 Start Qty: 2.00 ~~\*X\*~~ Cust Item ID: **ASAP**  
 Required Date: 6/13/12 Req'd Qty: 2.00 ~~\*X\*~~ 7x Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4632	PAI <i>Rev A per 6/12/12 book</i>

100	FLOW WATER JET	0.00							
<b>*100*</b>									
Waterjet	Memo	0.00							
FLOW CNC Waterjet	1-Cut as per Dwg								
<i>34. GSD</i>	Dwg Rev: <i>A</i>								
	Prog Rev: <i>A</i>								
	2-Deburr if necessary								

110	QC2- Inspect parts off machine FAI/FAIB	0.00							
<b>*110*</b>									
QC	Memo	0.00							
Quality Control									

120	QC8- Inspect parts - second check	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									

*See below to Rev A Dwg -*

*7 0 JM 12-6-14*

*7 0 JM 12-6-14*

*(47)*

# Work Order ID 85651





**\*85651\***

Page 2

June-13-12 7:34:47 AM

Item ID: D4632-2 Accept **\*N900040100\*** Setup Start **\*NS1\***  
Revision ID: PRELIM Stop **\*NS2\***  
Item Name: Striker Plate  
Start Date: 6/13/12 Start Qty: 2.00 **\*2\*** Cust Item ID:  
Required Date: 6/13/12 Req'd Qty: 2.00 **\*2\*** Customer:  
Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 <b>*130*</b> Brake NC Brake NC	Form as per dwg NC BRAKE Memo	0.00 0.00							
140 <b>*140*</b> QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00							
150 <b>*150*</b> Packaging Packaging	Identify as per dwg & Stock Location: _____ Memo	0.00 0.00							

**Work Order ID 85651****\*85651\***

Page 3

June-13-12 7:34:47 AM

Item ID: D4632-2 Accept **\*N900040100\*** Setup Start **\*NS1\***  
Revision ID: PRELIM Stop **\*NS2\***  
Item Name: Striker Plate  
Start Date: 6/13/12 Start Qty: 2.00 **\*2\*** Cust Item ID:  
Required Date: 6/13/12 Req'd Qty: 2.00 **\*2\*** Customer:  
Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start **\*NR1\***  
Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC21- Final Inspection - Work Order Release	0.00							
<b>*160*</b>									
QC	Memo	0.00							
Quality Control									

12/6/15  
MF  
12-06-14



# Picklist Print

June-13-12 7:34:47 AM

Page 1

Work Order ID: 85651

Parent Item: D4632-2

Parent Item Name: Striker Plate

Start Date: 6/13/12

Required Date: 6/13/12

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 12.05.22 NEW ISSUE DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304S18GA  
304/316 .050 Sheet

Purchased No

100 sf 163.6649 0.05

0.1052632

Jm 12-6-14

Location

Loc Qty

Loc Code

MAT020

163.664947

120604

8.96421




121626

70.2

121660

84.500737

120604



**D4632-1 STRIKER PLATE**

**NOTES:**

- 1) MATERIAL: MAKE FROM D4632-1F FLAT PATTERN
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.08 lbs

**RELEASED**  
2012-06-13

A	NEW ISSUE	RF	12.05.14
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	<b>D4632</b>	SHEET 1 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>STRIKER PLATE</b>	NTS
DATE	12.05.14	COPYRIGHT © 2012 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# **D4632-2 STRIKER PLATE**

RELEASED  
2012-06-13

## **NOTES:**

- 1) MATERIAL: MAKE FROM D4632-1F FLAT PATTERN
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.08 lbs

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	<b>D4632</b>	SHEET 2 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>STRIKER PLATE</b>	NTS
DATE	12.05.14	<small>COPYRIGHT © 2012 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRELIMINARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



**D4632-1F FLAT PATTERN STRIKER PLATE**

**NOTES:**

1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH  
0.050 (18 GAUGE) THICK  
PER MIL-S-5059  
OR AMS 5513 (304) OR AMS 5524 (316)  
OR ASTM A240 OR ASME SA240  
REF DART SPEC M304S18GA

2) FINISH: N/A  
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) UNITS: INCHES UNLESS OTHERWISE NOTED  
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
6) IDENTIFICATION: N/A  
7) WEIGHT: 0.08 lbs

**RELEASED**  
2012-06-13  
NA

DESIGN	RF	<b>DART AEROSPACE USA, INC.</b>	
DRAWN	RF	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	<b>D4632</b>	SHEET 3 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>STRIKER PLATE</b>	NTS
DATE	12.05.14	<small>COPYRIGHT © 2012 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

